

0

EP-IPMC020A-4-WIFI6-PINHOLE

EasyP



Features

- Easy-P with Artificial Intelligence
- Mini cámara IP tipo Pinhole Wi-Fi
- 1/3" Progressive Scan CMOS
- 4 Megapixel (2560x1440)
- 3.7mm fixed lens
- Pinhole lens
- Minimum illumination 0.01 Lux
- WDR 120dB
- Integrated microphone - Full compatibility with Uniview and Hikvision
- Supports UMD and Motion Detect 2.0: advanced motion detection that is triggered only by human and/or vehicle movement
- AI: intrusion detection, motion detection based on human detection. Reduces false alarms
- ONVIF Compatible
- P2P
- Wi-Fi
- Slot for microSD up to 256 GB
- Metallic

Specifications

Brand	EASY-P
Image sensor	1/3" Progressive Scan CMOS
Lens	3.7 mm
Maximum resolution	4 Megapixel (2560x1440)
Minimum illumination	Colour: 0.01 Lux @(F1.6, AGC ON)
Main Stream rate	2688*1512@20fps, 2560*1440@30fps, 1920*1080@30fps, 1280*720@30fps
Extra Stream rate	1280*720@30fps, 720*480@30fps
Compression	H.264 / H.264+ / H.265 / H.265+ / MJPEG
Storage	MicroSD 256GB
Image improvements	BLC, HLC, 3D-DNR, ROI, Mirror Function
WDR	120dB
Motion detection and UMMD	Supports both functions
Smart Features	Native support of Motion Detect 2.0 and UMD
Audio	Integrated microphone
Audio Compression	G711A / U, AAC
Network interface	Ethernet 10 / 100M BaseT
Wi-Fi	Support
Remote access	Web Browser, APP
Interoperability	ONVIF, plug&play with Uniview and Hikvision (check firmware)
P2P	Yes
Power	DC 12 V / 9 W max.
Temp. operation	-20° C ~ +60° C
Dimensions	36(AI) x 36(An) x 35(Fo) mm
Weight	300 g

Material

Metallic
